
STARTER-KIT FOR SMARC 2.0

conga-SKIT/APL





PN	Description
007010	Evaluation Carrier Board for SMARC 2.0 modules.
050031	SMARC 2.0 module with Intel® Atom™ x7-E3950 quad core processor with 1.6GHz core frequency up to 2.0GHz, 2MB L2 cache, 8GB 2400MT/s LPDDR4 onboard memory, 32GB eMMC onboard flash and onboard Sparklan WNSQ-261ACN(BT) Wifi/BT module
050051	Passive cooling solution for SMARC 2.0 module conga-SA5 with IHS Intel Pentium and Celeron processor. All standoffs are bore hole 2.7mm
050053	Passive cooling solution for SMARC 2.0 module conga-SA5 with IHS Intel Pentium and Celeron processor. All standoffs are bore hole 2.7mm
	Complete set of cables to connect all components
500016	Standard ATX power supply (180 Watt)
1000251	WLAN 802.11 ac/a/b/g/n Antenna RP-SMA 2 dBi Omnidirectional Joint
	WLAN pigtail cable, lenth 20cm
PN	Description
077650	Starterkit for SMARC2.0 evaluation carrier boards, including conga-SEVAL
	007010 050031 050051 050053 500016 1000251

All data is for information purposes only. Although all the information contained within this document is carefully checked, no guarantee of correctness is implied or expressed. Product names, logos, brands, and other trademarks featured or referred are the property of their respective trademark holders. These trademark holders are not affiliated with congatec AG. Rev. May 15, 2019 MR

